

UNIVERSITI MALAYSIA PAHANG

**BORANG PENGESAHAN STATUS TESIS**

**JUDUL: DESIGN X-AXIS ALGORITHM ON PRINTER MACHINE**

**SESI PENGAJIAN:** 2007/2008

Saya **HAIDIL HAZHA BIN HUSAINI (850818-14-6067)**  
(HURUF BESAR)

mengaku membenarkan tesis (Sarjana Muda/~~Sarjana~~ /~~Doktor Falsafah~~)\* ini disimpan di Perpustakaan dengan syarat-syarat kegunaan seperti berikut:

1. Tesis adalah hakmilik Universiti Malaysia Pahang (UMP).
2. Perpustakaan dibenarkan membuat salinan untuk tujuan pengajian sahaja.
3. Perpustakaan dibenarkan membuat salinan tesis ini sebagai bahan pertukaran antara institusi pengajian tinggi.
4. \*\*Sila tandakan ( √ )

☐

**SULIT**

(Mengandungi maklumat yang berdarjah keselamatan atau kepentingan Malaysia seperti yang termaktub di dalam AKTA RAHSIA RASMI 1972)

☐

**TERHAD**

(Mengandungi maklumat TERHAD yang telah ditentukan oleh organisasi/badan di mana penyelidikan dijalankan)

☒

**TIDAK TERHAD**

Disahkan oleh:

\_\_\_\_\_  
(TANDATANGAN PENULIS)

\_\_\_\_\_  
(TANDATANGAN PENYELIA)

Alamat Tetap:

**G-07-349 TAMAN SEGAR**  
**CHERAS**  
**56100 KUALA LUMPUR**

**ADDIE IRAWAN BIN HASHIM**  
( Nama Penyelia )

Tarikh: **29 NOVEMBER 2007**

Tarikh: **29 NOVEMBER 2007**

- CATATAN:
- \* Potong yang tidak berkenaan.
  - \*\* Jika tesis ini SULIT atau TERHAD, sila lampirkan surat daripada pihak berkuasa/organisasi berkenaan dengan menyatakan sekali tempoh tesis ini perlu dikelaskan sebagai atau TERHAD.
  - ♦ Tesis dimaksudkan sebagai tesis bagi Ijazah doktor Falsafah dan Sarjana secara Penyelidikan, atau disertasi bagi pengajian secara kerja kursus dan penyelidikan, atau Laporan Projek Sarjana Muda (PSM).

**DEVELOPMENT OF AXIS MOVEMENT CONTROLLER FOR 2-AXIS  
CONFIGURATION MACHINE CONTROL**

**HAIDIL HAZHA BIN HUSAINI**

A thesis is submit as partial fulfillment of the  
requirements for the award of the Bachelor Degree of  
Electrical Engineering (Electronics)

Faculty of Electrical & Electronics Engineering  
Universiti Malaysia Pahang

NOVEMBER 2007

## TABLE OF CONTENTS

CHAPTER	TITLE	PAGE
	TITLE PAGE	i
	DECLARATION	ii
	DEDICATION	iii
	ACKNOWLEDGMENTS	iv
	ABSTRACT	v
	ABSTRAK	vi
	TABLE OF CONTENTS	vii
	LIST OF TABLES	x
	LIST OF FIGURES	xi
	LIST OF ABBREVIATIONS	xii
	LIST OF APPENDICES	xiii
<b>1</b>	<b>INTRODUCTION</b>	
	1.1 Overview	1
	1.2 Project Objective	2
	1.3 Project Scope	2
	1.4 Thesis Organization	3
<b>2</b>	<b>LITERATURE REVIEW</b>	
	2.1 Stepper Motor Control	4
	2.1.1 Type of Stepper Motor	5
	2.1.2 Stepper Motor Control Concept	7
	2.2 Axis Concept On Printer Conveyor	10
	2.3 Printer Machine Configuration	11

	2.3.1	Classification Of Printer Machine	12
	2.4	PIC16F877 Microcontroller	14
<b>3</b>		<b>SYSTEM DESIGN</b>	
	3.1	Electronic Hardware Design	16
	3.2	Firmware Design	18
	3.3	Mechanical Design	22
	3.3.1	Type In The Printer System	23
	3.3.2	Heat Consideration	24
	3.3.3	Selecting A Current Limiting Resistor	25
	3.4	Stepper Motor Calculation	26
<b>4</b>		<b>SYSTEM PERFORMANCE</b>	
	4.1	Movement Analysis Procedure	29
	4.2	Conveyor Stepping Analysis	30
	4.3	Discussion	32
	4.4	Problem Encounter and Terms	35
<b>5</b>		<b>CONCLUSION AND RECOMMENDATION</b>	
	5.1	Conclusion	36
	5.2	Recommendation	36
	5.2.1	Costing and Commercialization	37

**REFERENCE**

38

**APPENDICE****APPENDICE A-C**

43-53

## **LIST OF TABLES**

<b>TABLES NO.</b>	<b>TITLE</b>	<b>PAGE</b>
2.1	Sequence For Motor Rotate 90 Degree	
2.2	Sequence For Motor Rotate 45 Degree	
3.1	Single Stepping Mode	
3.2	High Torque Stepping Mode	
3.3	Half Stepping Mode	
4.1	Steps and Rotational Of The Stepper Motor	

## **LIST OF FIGURES**

<b>FIGURES NO.</b>	<b>TITLE</b>	<b>PAGE</b>
2.1	Unipolar Stepper Motor	
2.2	Bipolar Stepper Motor	
2.3 (a)	Motor 0 Degree	
2.3 (b)	Motor 90 Degree	
2.4	Motor With Half Stepping 45 Degree	
2.5	X-axis Movement	
2.6	X-axis and Y-axis Movement	
2.7	PIC16F877 Microcontroller pin configuration	
3.1	Stepper Motor Driver Part	
3.2	Flowchart of Firmware Design	
3.3	Printer Machine Diagram	
3.4	Identifying Stepper Motor	
3.5	Current Limiting with Bipolar Controller	
4.1	Graph Length per Step	
4.2	Graph Degree per Rotation	
4.3	Printer Conveyor Movement Actual result	

## **LIST OF ABBREVIATION**

UMP	- Universiti Malaysia Pahang
DC	- Direct Current
AC	- Alternating Current
V	- Voltage
R	- Resistor
L	- Inductor
C	- Capacitor
V <sub>in</sub>	- Input Voltage
V <sub>out</sub>	- Output Voltage



## LIST OF APPENDICES

APPENDIX	TITLE	PAGE
A	Controller UnitSchematic Diagram	40
B	Firmware Code	42
C	List Of Component	47